



# ePTFE Suture Ordering Information

THE PERFECT COMBINATION OF SOPHISTICATION AND STRENGTH



a surgical  
suture  
company

**GOLNIT**

## ePTFE Suture

Golnit® ePTFE sutures are highly popular in cardiovascular surgeries. Thanks to its design, the ePTFE suture is exceptionally useful during procedures where the bleeding is a risk factor:

- Needle-hole bleeding reduction: The unique suture design, based on Golnit's proprietary technology, allows achieving a needle to suture diameter ratio of 1.
- Next Generation Golnit® sutures with Premium Sharp needles: Needles remain sharp pass after pass, limiting trauma to tissues.
- Superior physical and biological characteristics: ePTFE sutures are completely biocompatible and foster a benign tissue response. The sutures are also easy to handle, are very soft and flexible.




Golnit® ePTFE sutures are suitable for a wide range of procedures that include but are not limited to:


- Mitral valve repair and replacement
- Vascular reconstruction and repair
- Ventral and inguinal hernia repair

| Approx USP Size             |                            |               | 7/0                                      | 6/0                                      | 5/0                                      | 4/0                                      | 3/0                                      | 2/0                                      | 0           |
|-----------------------------|----------------------------|---------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|-------------|
| Thread Diameter, mm         |                            |               | 0,091-0,108                              | 0,109-0,167                              | 0,168-0,245                              | 0,246-0,306                              | 0,307-0,421                              | 0,422-0,517                              | 0,518-0,625 |
| Gore Reference Thread Size: |                            |               | CV-8                                     | CV-7                                     | CV-6                                     | CV-5                                     | CV-4                                     | CV-3                                     | CV-2        |
| Needle Length, mm           | Gore Reference Needle Code | Thread Length | Golnit Product Code (Gore Reference)     |                                          |                                          |                                          |                                          |                                          |             |
| 6,4                         | TTc-7                      | 7 cm          | FTDVS806..d-7<br>(Gore Reference: 8D10)  |                                          |                                          |                                          |                                          |                                          |             |
|                             | TTc-7                      | 61 cm         | FTDVS806..d-61<br>(Gore Reference: 8K10) |                                          |                                          |                                          |                                          |                                          |             |
| 9                           | TTc-9                      | 7 cm          | FTDVS809..d-7<br>(Gore Reference: 8D14)  |                                          |                                          |                                          |                                          |                                          |             |
|                             | TTc-9                      | 46 cm         | FTDVS809..d-46<br>(Gore Reference: 8J02) | FTDVS709..d-46<br>(Gore Reference: 7J02) | FTDVS609..d-46<br>(Gore Reference: 6J02) |                                          |                                          |                                          |             |
|                             | TTc-9                      | 61 cm         | FTDVS809..d-61<br>(Gore Reference: 8K02) | FTDVS709..d-61<br>(Gore Reference: 7K02) | FTDVS609..d-61<br>(Gore Reference: 6K02) |                                          |                                          |                                          |             |
|                             | TTc-9                      | 76 cm         | FTDVS809..d-76<br>(Gore Reference: 8M02) | FTDVS709..d-76<br>(Gore Reference: 7M02) | FTDVS609..d-76<br>(Gore Reference: 6M02) | FTDVS509..d-76                           |                                          |                                          |             |
|                             | TTc-9                      | 91 cm         |                                          |                                          | FTDVS609..d-91                           |                                          |                                          |                                          |             |
|                             |                            |               |                                          |                                          |                                          |                                          |                                          |                                          |             |
| 12                          | TTc-12                     | 61 cm         |                                          |                                          | FTDVS612..d-61<br>(Gore Reference: 6K10) |                                          |                                          |                                          |             |
|                             | TTc-12                     | 76 cm         | FTDVS812..d-76<br>(Gore Reference: 8M04) | FTDVS712..d-76<br>(Gore Reference: 7M12) | FTDVS612..d-76<br>(Gore Reference: 6M10) |                                          |                                          |                                          |             |
| 13                          | TTc-13                     | 46 cm         |                                          | FTDVS713..d-46<br>(Gore Reference: 7J06) | FTDVS613..d-46<br>(Gore Reference: 6J04) |                                          |                                          |                                          |             |
|                             | TTc-13                     | 61 cm         |                                          | FTDVS713..d-61<br>(Gore Reference: 7K06) | FTDVS613..d-61<br>(Gore Reference: 6K04) | FTDVS513..d-61<br>(Gore Reference: 5K02) |                                          |                                          |             |
|                             | TTc-13                     | 76 cm         | FTDVS813..d-76<br>(Gore Reference: 8M04) | FTDVS713..d-76<br>(Gore Reference: 7M06) | FTDVS613..d-76<br>(Gore Reference: 6M04) | FTDVS513..d-76<br>Gore Reference: 5M02)  | FTDVS413..d-76                           |                                          |             |
|                             | TTc-13                     | 91 cm         |                                          |                                          | FTDVS613..d-91<br>(Gore Reference: 6N04) | FTDVS513..d-91<br>(Gore Reference: 5N02) | FTDVS413..d-91                           |                                          |             |
| 17                          | TT-17                      | 76 cm         |                                          |                                          | FTDVS617..d-76                           | FTDVS517..d-76                           | FTDVS417..d-76                           | FTDVS317..d-76                           |             |
|                             | TT-17                      | 91 cm         |                                          |                                          |                                          | FTDVS517..d-91<br>(Gore Reference: 5N06) | FTDVS417..d-91<br>(Gore Reference: 4N04) | FTDVS317..d-91<br>(Gore Reference: 3N02) |             |

| Approx USP Size             | 7/0         | 6/0         | 5/0         | 4/0         | 3/0         | 2/0         | 0           |
|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Thread Diameter, mm         | 0,091-0,108 | 0,109-0,167 | 0,168-0,245 | 0,246-0,306 | 0,307-0,421 | 0,422-0,517 | 0,518-0,625 |
| Gore Reference Thread Size: | CV-8        | CV-7        | CV-6        | CV-5        | CV-4        | CV-3        | CV-2        |

|                                                                                                               | Double Armed                                                                       | Needle Length,<br>mm  | Gore Reference<br>Needle Code | Thread<br>Length | Golnit Product Code (Gore Reference) |                                          |                                          |                                              |                                              |                                          |                                          |
|---------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------------|-------------------------------|------------------|--------------------------------------|------------------------------------------|------------------------------------------|----------------------------------------------|----------------------------------------------|------------------------------------------|------------------------------------------|
|                                                                                                               |                                                                                    |                       |                               |                  |                                      |                                          |                                          |                                              |                                              |                                          |                                          |
| Taper Point<br>1/2 Circle<br> |   | 9                     | THc-9                         | 76 cm            | FTHVS809..d-76                       | FTHVS709..d-76                           | FTHVS609..d-76<br>(Gore Reference: 6M24) |                                              |                                              |                                          |                                          |
|                                                                                                               |   | 13                    | THc-13                        | 46 cm            |                                      | FTHVS713..d-46<br>(Gore Reference: 7J10) | FTHVS613..d-46<br>(Gore Reference: 6J12) |                                              |                                              |                                          |                                          |
|                                                                                                               |                                                                                    |                       | THc-13                        | 61 cm            |                                      |                                          | FTHVS613..d-61<br>(Gore Reference: 6K12) | FTHVS513..d-61<br>(Gore Reference: 5K12)     |                                              |                                          |                                          |
|                                                                                                               |                                                                                    |                       | THc-13                        | 76 cm            |                                      | FTHVS713..d-76<br>(Gore Reference: 7M10) | FTHVS613..d-76<br>(Gore Reference: 6M12) | FTHVS513..d-76<br>(Gore Reference: 5M12)     | FTHVS413..d-76                               |                                          |                                          |
|                                                                                                               |                                                                                    |                       | THc-13                        | 91 cm            |                                      |                                          | FTHVS613..d-91                           | FTHVS513..d-91<br>(Gore Reference: 5N12)     |                                              |                                          |                                          |
|                                                                                                               |   | 18                    | TH-18                         | 122 cm           |                                      |                                          |                                          |                                              | FTHVS418..-122<br>(Gore Reference: 4U02)     |                                          |                                          |
|                                                                                                               |                                                                                    |                       | TH-18                         | 91 cm            |                                      |                                          | FTHVS618..d-91<br>(Gore Reference: 6N16) | FTHVS518..d-91<br>(Gore Reference: 5N04)     | FTHVS418..d-91<br>(Gore Reference: 4N02)     | FTHVS318..d-91<br>(Gore Reference: 3N04) |                                          |
|                                                                                                               |  | 22                    | TH-22                         | 91 cm            |                                      |                                          |                                          |                                              |                                              |                                          | FTHVS222..h-91<br>(Gore Reference: 2N03) |
|                                                                                                               |                                                                                    | 22<br>(with pletgets) | TH-22                         | 91 cm            |                                      |                                          |                                          | FTHVS522..d-91xPL<br>(Gore Reference: 3201*) | FTHVS422..d-91xPL<br>(Gore Reference: 3200*) |                                          |                                          |

|                                                                                                                    |                                                                                     | Approx USP Size             |                            | 7/0           | 6/0                                      | 5/0                                      | 4/0                                      | 3/0                                      | 2/0                                       | 0                                         |                                           |
|--------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------|----------------------------|---------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|
|                                                                                                                    |                                                                                     | Thread Diameter, mm         |                            | 0,091-0,108   | 0,109-0,167                              | 0,168-0,245                              | 0,246-0,306                              | 0,307-0,421                              | 0,422-0,517                               | 0,518-0,625                               |                                           |
|                                                                                                                    |                                                                                     | Gore Reference Thread Size: |                            | CV-8          | CV-7                                     | CV-6                                     | CV-5                                     | CV-4                                     | CV-3                                      | CV-2                                      |                                           |
|                                                                                                                    | Double Armed                                                                        | Needle Length, mm           | Gore Reference Needle Code | Thread Length | Golnit Product Code (Gore Reference)     |                                          |                                          |                                          |                                           |                                           |                                           |
| Taper Point<br>1/2 Circle<br>      |    | 26                          | TH-26                      | 91 cm         |                                          |                                          | FTHVS626..d-91                           | FTHVS526..d-91<br>(Gore Reference: 5N20) | FTHVS426..d-91<br>(Gore Reference: 4N06)  | FTHVS326..d-91<br>(Gore Reference: 3N08)  | FTHVS226..d-91<br>(Gore Reference: 2N02)  |
|                                                                                                                    |                                                                                     |                             | TH-26                      | 122 cm        |                                          |                                          |                                          |                                          | FTHVS426..d-122<br>(Gore Reference: 4U06) | FTHVS326..d-122<br>(Gore Reference: 3U08) | FTHVS226..d-122<br>(Gore Reference: 2U02) |
|                                                                                                                    |    | 30                          |                            | 91 cm         |                                          |                                          |                                          |                                          |                                           | FTHVS330..d-91                            |                                           |
|                                                                                                                    |    | 35; 36                      | TH-35;<br>THX-36           | 91 cm         |                                          |                                          |                                          |                                          | FTHVS435..d-91<br>(Gore Reference: 4N12)  | FTHVS335..d-91<br>(Gore Reference: 3N06)  | FTHVS236..hd-91<br>(Gore Reference: 3N08) |
|                                                                                                                    |                                                                                     |                             | TH-35<br>THX-36            | 122 cm        |                                          |                                          |                                          |                                          |                                           | FTHVS335..d-122<br>(Gore Reference: 3U06) |                                           |
| Piercing Point<br>3/8 Circle<br> |  | 9                           | PT-9                       | 46 cm         |                                          | FGDVS709..d-46<br>(Gore Reference: 7J04) |                                          |                                          |                                           |                                           |                                           |
|                                                                                                                    |                                                                                     |                             | PT-9                       | 61 cm         | FGDVS809..d-61<br>(Gore Reference: 8K08) | FGDVS709..d-61<br>(Gore Reference: 7K04) | FGDVS609..d-61<br>(Gore Reference: 6K06) |                                          |                                           |                                           |                                           |
|                                                                                                                    |                                                                                     |                             | PT-9                       | 76 cm         | FGDVS809..d-76<br>(Gore Reference: 8M08) | FGDVS709..d-76<br>(Gore Reference: 7M04) | FGDVS609..d-76<br>(Gore Reference: 6M06) |                                          |                                           |                                           |                                           |

|                                                                                                                  |                                                                                                   |        |       | Approx USP Size             | 7/0                                      | 6/0                                      | 5/0                                      | 4/0                                      | 3/0                                       | 2/0                                       | 0                                         |
|------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|--------|-------|-----------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|-------------------------------------------|-------------------------------------------|-------------------------------------------|
|                                                                                                                  |                                                                                                   |        |       | Thread Diameter, mm         | 0,091-0,108                              | 0,109-0,167                              | 0,168-0,245                              | 0,246-0,306                              | 0,307-0,421                               | 0,422-0,517                               | 0,518-0,625                               |
|                                                                                                                  |                                                                                                   |        |       | Gore Reference Thread Size: | CV-8                                     | CV-7                                     | CV-6                                     | CV-5                                     | CV-4                                      | CV-3                                      | CV-2                                      |
|                                                                                                                  |                                                                                                   |        |       | Needle Length, mm           | Gore Reference Needle Code               | Thread Length                            | Gonit Product Code (Gore Reference)      |                                          |                                           |                                           |                                           |
| Piercing Point<br>3/8 Circle<br> | Double Armed<br> | 13     | PT-13 | 61 cm                       |                                          | FGDVS713..d-61<br>(Gore Reference: 7K08) | FGDVS613..d-61<br>(Gore Reference: 6K08) | FGDVS513..d-61<br>(Gore Reference: 5K08) |                                           |                                           |                                           |
|                                                                                                                  |                                                                                                   |        | PT-13 | 76 cm                       | FGDVS813..d-76<br>(Gore Reference: 8M06) | FGDVS713..d-76<br>(Gore Reference: 7M08) | FGDVS613..d-76<br>(Gore Reference: 6M08) |                                          |                                           |                                           |                                           |
|                                                                                                                  |                                                                                                   |        | PT-13 | 91 cm                       |                                          |                                          |                                          | FGDVS513..d-91<br>(Gore Reference: 5N08) |                                           |                                           |                                           |
|                                                                                                                  |                  | 17     | PT-17 | 91 cm                       |                                          |                                          |                                          | FGDVS517..d-91<br>(Gore Reference: 5N10) | FGDVS417..d-91<br>(Gore Reference: 4N10)  | FGDVS317..d-91<br>(Gore Reference: 3N14)  |                                           |
|                                                                                                                  |                                                                                                   |        |       |                             |                                          |                                          |                                          |                                          |                                           |                                           |                                           |
|                                                                                                                  |                                                                                                   |        |       |                             |                                          |                                          |                                          |                                          |                                           |                                           |                                           |
| Piercing Point<br>1/2 Circle<br> |                  | 13     | PH-13 | 76 cm                       |                                          |                                          | FGHVS613..d-76<br>(Gore Reference: 6M14) | FGHVS513..d-76<br>(Gore Reference: 5M16) |                                           |                                           |                                           |
|                                                                                                                  |                                                                                                   | 17     | PH-17 | 91 cm                       |                                          |                                          |                                          | FGHVS517..d-91<br>(Gore Reference: 5N14) | FGHVS417..d-91<br>(Gore Reference: 4N08)  | FGHVS317..d-91<br>(Gore Reference: 3N12)  |                                           |
|                                                                                                                  |                  | 24, 25 | PH-24 | 91 cm                       |                                          |                                          |                                          |                                          | FGHVS424..d-91<br>(Gore Reference: 4N16)  | FGHVS324..d-91<br>(Gore Reference: 3N10)  | FGHVS224..d-91<br>(Gore Reference: 2N10)  |
|                                                                                                                  |                                                                                                   |        | PH-24 | 122 cm                      |                                          |                                          |                                          |                                          | FGHVS424..d-122<br>(Gore Reference: 4U16) | FGHVS324..d-122<br>(Gore Reference: 3U10) | FGHVS224..d-122<br>(Gore Reference: 2U10) |
|                                                                                                                  |                | 30     | PH-30 | 107 cm                      |                                          |                                          |                                          |                                          |                                           | FGHVS330..d-107<br>(Gore Reference: 3P24) |                                           |
|                                                                                                                  |                                                                                                   |        |       |                             |                                          |                                          |                                          |                                          |                                           |                                           |                                           |
|                                                                                                                  |                | 35, 36 | PH-35 | 122 cm                      |                                          |                                          |                                          |                                          |                                           | FGHVS335..d-122<br>(Gore Reference: 3U20) |                                           |
|                                                                                                                  |                                                                                                   |        |       |                             |                                          |                                          |                                          |                                          |                                           |                                           |                                           |

## Commonly Requested GOLNIT® PTFE Sutures

| Proximal Aorto-bifemoral                         |               |                                                           |                                                        |
|--------------------------------------------------|---------------|-----------------------------------------------------------|--------------------------------------------------------|
| Approx USP Size<br>(Gore Reference Thread Size): | Thread Length | Product Code (Gore Reference)<br>with Taper Point Needles | Product Code (Gore Reference)<br>with Tapercut Needles |
| 2/0 (CV-3)                                       | 91 cm         | FTHVS326..d-91<br>(Gore Reference: 3N08)                  | FGHVS324..d-91<br>(Gore Reference: 3N10)               |
| 3/0 (CV-4)                                       | 91 cm         | FTHVS426..d-91<br>(Gore Reference: 4N06)                  | FGHVS424..d-91<br>(Gore Reference: 4N16)               |
|                                                  | 91 cm         | FTHVS418..d-91<br>(Gore Reference: 4N02)                  |                                                        |
| Distal Aorto-bifemoral                           |               |                                                           |                                                        |
| 4/0 (CV-5)                                       | 76 cm         | FTHVS513..d-76<br>(Gore Reference: 5M12)                  |                                                        |
|                                                  | 76 cm         | FTDVS513..d-76<br>(Gore Reference: 5M02)                  |                                                        |
|                                                  | 91 cm         | FTHVS518..d-91<br>(Gore Reference: 5N04)                  |                                                        |
| 5/0 (CV-6)                                       | 76 cm         | FTDVS612..d-76<br>(Gore Reference: 6M10)                  | FGDVS613..d-76<br>(Gore Reference: 6M08)               |
| Chordae Tendinae                                 |               |                                                           |                                                        |
| 3/0 (CV-4)                                       | 91 cm         | FTHVS422..d-91xPL*<br>(Gore Reference: 3200*)             |                                                        |
|                                                  | 91 cm         | FTHVS418..d-91<br>(Gore Reference: 4N02)                  |                                                        |
|                                                  | 122 cm        | FTHVS418..-122<br>(Gore Reference: 4U02)                  |                                                        |
| 4/0 (CV-5)                                       | 91 cm         | FTHVS522..d-91xPL*<br>(Gore Reference: 3201*)             |                                                        |
|                                                  | 91 cm         | FTDVS417..d-91<br>(Gore Reference: 4N04)                  |                                                        |
| Proximal Femoro-popliteal                        |               |                                                           |                                                        |
| 4/0 (CV-5)                                       | 91 cm         | FTDVS513..d-91<br>(Gore Reference: 5N02)                  | FGDVS513..d-91<br>(Gore Reference: 5N08)               |
| 5/0 (CV-6)                                       | 76 cm         | FTDVS612..d-76<br>(Gore Reference: 6M10)                  | FGDVS613..d-76<br>(Gore Reference: 6M08)               |
| Distal Femoro-popliteal                          |               |                                                           |                                                        |
| 5/0 (CV-6)                                       | 76 cm         | FTDVS609..d-76<br>(Gore Reference: 6M02)                  | FGDVS609..d-76<br>(Gore Reference: 6M06)               |
| 6/0 (CV-7)                                       | 76 cm         | FTDVS709..d-76<br>(Gore Reference: 7M02)                  | FGDVS709..d-76<br>(Gore Reference: 7M04)               |

\* specification with ePTFE pledgets

| Carotid Endarterectomy                           |               |                                                           |                                                        |
|--------------------------------------------------|---------------|-----------------------------------------------------------|--------------------------------------------------------|
| Approx USP Size<br>(Gore Reference Thread Size): | Thread Length | Product Code (Gore Reference)<br>with Taper Point Needles | Product Code (Gore Reference)<br>with Tapercut Needles |
| 5/0 (CV-6)                                       | 76 cm         | FTDVS609..d-76<br>(Gore Reference: 6M02)                  |                                                        |
|                                                  | 76 cm         | FTDVS613..d-76<br>(Gore Reference: 6M04)                  |                                                        |
| Axillo-Femoral                                   |               |                                                           |                                                        |
| 4/0 (CV-5)                                       | 91 cm         | FTDVS513..d-91<br>(Gore Reference: 5N02)                  | FGDVS513..d-91<br>(Gore Reference: 5N08)               |
| 5/0 (CV-6)                                       | 76 cm         | FTDVS609..d-76<br>(Gore Reference: 6M02)                  |                                                        |
|                                                  | 76 cm         | FTDVS612..d-76<br>(Gore Reference: 6M10)                  |                                                        |
|                                                  | 76 cm         | FTDVS613..d-76<br>(Gore Reference: 6M04)                  | FGDVS613..d-76<br>(Gore Reference: 6M08)               |
| AV Access Graft                                  |               |                                                           |                                                        |
| 5/0 (CV-6)                                       | 61 cm         | FTDVS609..d-61<br>(Gore Reference: 6K02)                  |                                                        |
|                                                  | 76 cm         | FTDVS609..d-76<br>(Gore Reference: 6M02)                  |                                                        |
|                                                  | 61 cm         | FTDVS612..d-61<br>(Gore Reference: 6K10)                  |                                                        |
|                                                  | 76 cm         | FTDVS612..d-76<br>(Gore Reference: 6M10)                  |                                                        |
|                                                  | 61 cm         | FTDVS613..d-61<br>(Gore Reference: 6K04)                  |                                                        |
|                                                  | 76 cm         | FTDVS613..d-76<br>(Gore Reference: 6M04)                  |                                                        |
| 6/0 (CV-7)                                       | 61 cm         | FTDVS709..d-61<br>(Gore Reference: 7K02)                  |                                                        |
|                                                  | 76 cm         | FTDVS709..d-76<br>(Gore Reference: 7M02)                  |                                                        |
| AV Fistulas                                      |               |                                                           |                                                        |
| 6/0 (CV-7)                                       | 46 cm         | FTDVS709..d-46<br>(Gore Reference: 7J02)                  |                                                        |
| 7/0 (CV-8)                                       | 46 cm         | FTDVS809..d-46<br>(Gore Reference: 8J02)                  |                                                        |

Orders:

+380 067 239 9197 (Ukraine), Viber, WhatsApp

+1 718 219 0731 (USA), Viber, WhatsApp

Email: [info@golnit.com](mailto:info@golnit.com)

Skype: GOLNIT LTD



Golnit Ltd

Kharkivske Shosse, 48

Kyiv, Ukraine 02160

[ptfesutures.com](http://ptfesutures.com)

GOLNIT® is a trademark of Golnit Ltd.

GORE®, GORE-TEX® are trademarks of W. L. Gore & Associates.